#### Foot Sealers 足踏式封口機系列


#### Impulse Type:

- P, OPP, PVC, POF材質
- Impulse sealing Plug-in Timer Easy operate Round element for seal & cut



## Foot Operated Impulse Sealer: 0.8/2.7/5mm

- \* Impulse sealing with electronic control.
- Can be installed Imprinter.
- \* Sealing width: 10mm available.



WN-300 WN-450 WN-600 WN-750 WN-900

#### Foot Operated Impulse Sealer: 0.8/2.7/5mm

Impulse sealing with electronic control.
Can be installed Imprinter.



\*適用冷凍、水產、粉狀封口

#### **Double-sided Sealing** Sealer: 5mm

- sealing with electronic Timer control.
- can be selected double-sided sealing or single-sided sealing.
- Can be installed the Imprinter.
- \* Date Coder.

WN-305T WN-455T WN-605T WN-755T



#### Side Type Sealer: 0.8/2.7/5mm

- Impulse sealing with electronic control.

  Suitable for sealing the irregular bags, or for sealing whole roll of film.



#### Round Type Sealer: 0.32mm ng with efectronic control.

- Suitable for round shape sealing.
- Can be matched with Shrink Tunnel.



W-300R W-400R W-500R

\*不能加裝日期機

#### Adjustable Working Plateform: 5mm

- sealing with electronic control.
- Working Table can be adjusted.
- \* Suit for Heavier Packaging bags.



WN-300a WN-450a WN-600a WN-750a

\*適用米袋包裝

# Twin Sealing Sealer: bottom: 5mm & 0.8mm

- sealing with electronic control.
- From back to seal the opening.
- \* Bottom has 2 elements: 5mm for sealing, 0.8mm for cut



WN-300BT WN-450BT WN-600BT

\*適用尿布,衛生紙包裝

#### Foot Type with Cutter

- aling with electronic control.
- m Roller can be installed.



WN-300BC WN-450BC WN-600BC WNR-300BC WNR-450BC WNR-600BC

#### Vertical Sealing Sealer

- Impulse sealing with electronic control.



WNV-300 WNV-450 WNV-600 WNV-305T WNV-455T

#### 直熱式:須預熱,適用鋁箔、錫箔袋、KOP袋…可加裝日期機 Foot Type Constant Heat Sealer

• Direct Heat • Foot Type • Thermostat control • Need warm up • Sealing Jaw: 6mm-15mm

#### **Constant Heat Sealer**

- \* Constant heat sealing with Thermo-controller.
  \* Can be installed Imprinter.



W-220D W-250D W-300D W-450D

#### Vertical Sealing for pouch bags

- Constant heat sealing with Thermo-controller.
- \* Suitable for liquid and powder packing.
- \* Can be installed Imprinter.



WV-250D WV-300D WV-450D



### ISO 9001 2008

#### Auto Sealer Series


- 瞬熟式, 適用PE, PP, OPP, PVC, POF材質
- Impulse Sealing Auto control Power-saving Easy operate Foot Switch control Plastic Bags



#### **Auto/Foot Switch Control Impulse Sealer**

- \* Electromagnet Control:
- \* Auto Impulse Sealing with electronic control.
- \* Suitable for large packaging controlled by 3 timers.
- mm /10mm of sealing width can be ordered.

\* Imprinter can be installed.



WN-300A WN-450A WN-600A WN-755AA WN-900AA WN-1200AAA WN-1500AAA

#### **Auto Sealer**

- \* Controlled by Electromagnet & Foot Switch.
- \* Auto Impulse Sealing with electronic control.
- \*Suitable for large packaging controlled by 2 timers.
- mm /10mm of sealing width can be ordered.

\* Imprinter can be installed.

WNS-300 WNS-450 WNS-600 WNS-750 WNS-900 WNS-305T WNS-455T WNS-605T

#### Air Control Sealer

- \* Controlled by Cylinder & Foot Switch.
- \* Suitable for Foot Type Impulse and Constant Heat Sealer.



WNC-300 WNC-450 WNC-600 WNC-750 WNC-900 WNC-305T WNC-455T WNC-605T WNC-755T

#### Vertical Sealing Sealer

- \* Suitable for Pouch Bags. (powder & liquid)
  \* Can add a Cylinder and Electromagnet.
- \* For Foot Type Impulse and Constant Heat Sealer.

WVC-300N WVS-300N WVC-450N WVS-450N WVC-305T WVS-305T WVC-455T WVS-455T



#### Vertical Sealing Sealer

- \* Controlled by Cylinder & Foot Switch.
- Suitable for Pouch Bags (powder & liguid)

WV2S-305T WV2S-455T WV2S-605T



#### **Electromagnet control Impulse Sealer with Cutter**

- Ideal for: PE, PP, OPP, PVC. Power saving
  The sliding knife may be used to trim a pre-made bag or to make bag from poly tubing.
- aling width: 2mm ~5mm
- \* Easy to operate: Press down the Handle, the upper bar will be sucked by 2 electromagnets. After sealing & congealing(cool) times up Slide the knife to cut the

bag edge or tube film. Press the release button to lift the sealing bar



#### 直熱式, 須預熱, 適用鋁箔, 錫箔袋, KOP袋…

Electromagnet Control
 Need warm up
 Sealing Jaw 6-15mm
 Gusset Alum. Foll Bags
 Controlled by the highest accuracy electronic Thermo-Controller (EGO), Timer, and Electromagnet









#### ISO 9001 2008

## Shrink Packing System

- ◆L-Bar Sealer: 手壓L型封口機,可封切各式收縮膜配合收縮膜機,亦可利用熱風槍做簡易收縮.
- All metal construction Plug-in Timer Easy to operate



#### Deluxe L Bar Sealer

- \* Impulse sealing with plug-in electronic timer.
- \* Sealer has a 0.32mm cut element for cut & seal. ( upside)
- \* Film roller w/separator & perforator is included & mounts to L-Bar sealer. ealing Table can be adjusted up & down.
- \* Film Roller can be adjusted in & out.
- \* Built-in electrical outlet for Heat Gun. (optional)
- \* Stand available upon request. \* Electromagnet available upon request.



W-350L (14"\*20") W-500L (20"\*25.6") W-650L (25.6"\*23.6")

#### Separate L Bar Sealer

- \* Impulse sealing with plug-in electronic timer.
  \* Sealer has a 0.32mm cut element for cut & seal. ( upside)
- w/separator & perforator is included & mounts to L-Bar sealer.
- \*Built-in electrical outlet for Heat Gun. (optional)



#### Bar Sealer with Perforator Unit/Heat Gun

- \* Impulse sealing with plug-in electronic timer.
- \* Sealer comes with round element for cut & seal.
- \* Equipped with film roller and film separator & Perforator.
- eater has a heat gun holder that positions heat gun for proper cooling.
- \* Built-in electrical outlet for heat gun.
- \* Heat Gun & Shrink Film sold separately.

WS-300I WS-450I WS-600I

WS-750I WS-900I



#### Bar Sealer with Heat Gun

- \* Impulse sealing with plug-in electronic timer.

  \* Sealer comes with round element for cut & seal.
- \* Equipped with film roller and film separator.
- eafer has a heat gun holder that positions heat gun for proper cooling.
- \* Built-in electrical outlet for heat gun.
- \* Heat Gun & Shrink Film sold separately.

W-300I W-450I W-600I W-750I W-900I



Power: 1Phase 220 V

Packing Height: 10mm 120mm Sealing range: 500L \*450W (mm)

Dimension: 1500L \*860W \*1400H (mm)



L Sealing M/C ..... CHL-5050B CHL-6060B

CHL-4550A

# 收縮膜機 Shrink Packing Machine Applications: Food, Fruits, Salted Foods, Toy, Stationery, Drugs, Electric Parts, Hardware, Necessares···etc.

CN-3515A (700L \*350W\*150H mm)

CN-4520A (800L\*600W\*200H (mm)

CN-4520AL (1000L \*400W\*200H mm)



Power: 1Phase 220V/6KW Tunnel: 800L\*600W\*200H (mm) Dimension: 1350L \*700W \*1100H (mm)

#### CN-4520P CN-6530P CN-8540P

for PVC, PP Films.

Speed: 7.5M/min.

\* Need warm up:10min.



Power: 3 Phase 220/380V/ 15KW Tunnel: 1200L \*600W\*300H (mm) Dimension: 1600L \*860W \*1400H (mm)



## 吸嘴式外抽式抽氣封口機 NOZZLE Type Vacuum Sealer Series



This Vacuum Sealer comes standard with a vacuum pump inside and a retractable Nozzle system made of stainless steel. This machine offers an easier packaging and greater sustained vacuum flow. Easy to open its Body for maintenance.

No need tools. It comes with an intelligent Control Panel that has 20 programs and flushing, count functions.

- Pneumatically Operated
   Nozzle Type
   Pump Inside
- Vacuum sealing / sealing, variety sealing Sealing width: 5mm, 10mm

Vacuum time	0 - 99 sec.
Sealing time	0 - 3.0 sec.
Cooling time	0 - 10 sec.





- Deluxe Nozzle Type Vacuum Sealer
  It is made by metal construction with electrostatic painted or stainless steel.
- \* Stable Body. \* Adjustable working table.
- \* Warning device for sealing wire interrupting electricity.
- \* Protecting device for sealing bar when over temp.



## Stainless-Steel Nozzle Type Vacuum Sealer Machine special for 8", 12" of Wafer in Clean room.

- \* Warning device for sealing wire interrupting electricity.
- \* Protecting device for sealing bar when over temp.
  \* Alum. Made sealing bar easier to be dismounted.

\* Adjustable working table.



LVV-6510T LVV-8510T \*無塵室專用機



#### Extra Long Nozzle Type Vacuum Sealer

It is made by metal construction with electrostatic painted. Or Stainless steel. Suitable for Heavier & bigger size

cal Sealing.

Sealing bar can be adjusted up & down.

\* Warning device for sealing bar when over temp.

LMV-6010T LMV-7510T LMV-9010T LMV-10010T



## Stainless-Steel Nozzle Type Vacuum Sealer

- \* Suitable for extra long & heavier size packing.
  \* Warning device for seating wire interrupting electricity.
- \* Protecting device for sealing bar when over temp. 4 nozzles.

LVV-10010T LVV-20010T \*特製大型抽氮封口

\*Dry & solid goods only

\*No including air control unit. \*Design for your request. \*一切規格以實物為準

#### Can be installed:

- \* Nitrogen flushing equipment
- \* Date coder.
- \* Vacuum gauge.
- Vacuum sensor.
- \* 可加裝充氮設備
- \* 可加装日期印字機。 \* 可加裝真空壓力表。
- \* 可選購真空 Sensor。



Gas Flushing









# Sealers & Vacuum Sealer & Sealing Machine

ISO 9001 2008



















#### 圓方圓興業股份有限公司 WU-HSING ELECTRONICS CO., LTD.

http://www.wuhsing.com E-mail: sealer@wuhsing.com.tw wuhsing@ms17.hinet.net

41154 台中市太平區大里工業區15路10號 No.10, 15th Road, Dali Industrial Park, Taiping Dist., Taichung City 41154, Taiwan. TEL: 886-4-22711498

FAX: 886-4-22712806






## Out of Chamber Vacuum Sealer Series


Vacuum sealer comes standard with a vacuum pump inside and offers an easier packaging and great sustained vacuum flow. No need Nozzle to vacuum the air from the bag. It is made by metal construction with electrostatic painted will offer you many years of good service. It needs Gusset bags & Channelled Bags.

Non Nozzle
 Pump Inside
 Easy to Operate
 Gusset / Channelled Bags only
 Sealing width: 5mm

Dry & solid goods only







## Mini Type non-nozzle Vacuum Sealer \* Made in Stainless steel or electrostatic painted. \* Nylon Gussel bags / Channelled Bags Only. Dry Pump. WVM-305 >28"Hg WVM-405 \*乾式幫浦













## In- Chamber type Vacuum Packing: 槽式真空封口機 - 有包裝物尺寸限制 Size Limited

#### Chamber Type


Applications: Frozen food, fish, prepared food, meat, soaked food, herbs, tea leaves, hardware parts & accessories and electronic products...etc. Oil-less pump: ideal for dry & solid products. 乾式幫浦-乾旦固體物,如茶葉、香菇乾

Oil-filling pump: ideal for liquid or powder products. but, need to clean its filter & add on pump oil. 油式幫浦-醬料類、醃漬物、肉排、漢堡、香料












## 日期標示機 Date Imprinter









#### 連續式封口機 Band Sealer







## Germany made 德國進口





Ultrasonic Welder



## Japan made







C-10 (7 knives)

#### 手壓式封口機系列 **Hand** Sealers

- •操作及維修簡易,適用於工廠和家庭。
- Impulse sealing
   Plug-in Timer
   Easy operate
- Compact -Hand carry Plastic materials



#### Deluxe Hand Type Impulse Sealer

- \* Impulse sealing with electronic control.
- \* 5mm available upon request.



PAT No. 044918 (USA)

W-200H W-300H

#### Hand Type Impulse Sealer

- \* Impulse sealing with plug-in Timer control.
- \* 5mm available upon request.



WO-100H WO-200H WO-300H WO-400H WO-500H

#### Extra Long Hand Type Impulse Sealer: 2.7/5mm

- Impulse sealing with electronic control.
   \*Can be applied for flat heating wire as sealing, or round wire as cutting.
- \* Sealing width: 2mm to 5mm.
- Cutter and 10mm available upon request.



WN-450H WN-600H

WN-750H

WN-900H

WN-1000H

WN-1300H

#### Hand Type Impulse Sealer with Cutter

- \* Impulse sealing with plug-in Timer control.
- \* Sliding Cutter.
- \* 5mm available upon request.



WK-200HC WK-300HC WK-400HC WK-500HC

#### Stainless Hand Type Impulse Sealer: 5mm

- sealing with electronic control.
- Can be operated either on the table, or hanging on the wall served as vertical sealing.
- \* Suitable for powder and liquid sealing. \* Water proof:: Stainless steel made.
- \* Sealing width: 2mm to 5mm.



132040 TW

Z-300DX

## Hand-press Impulse Sealer: 5mm /10mm

- Double sides sealing.
  Special cam design minimizing the effort of the
- Operator while providing a large pressure.
- Suitable for precisely sealing bags of various thickness as well as alum. foil bags.
- Can be installed imprinter.



**Hand Type Impulse Sealer** with Cutter

mpulse sealing with electronic control. sealing width: 2mm.

\* Appends a sliding cutter.



#### 手提式封口機 Portable Sealer

• 須預熱 • Hand held • Easy operate • Need warm up







